PUBLIC NOTICE

Application for Water Use Permit Ewa-Kunia Ground Water Management Area, Oahu

The following application for water use permit has been received by the Commission on Water Resource Management and is hereby made public in accordance with Section 13-171, Hawaii Administrative Rules, "Designation and Regulation of Water Management Areas."

WUPA No. 810 Ko Olina Saltwater Well (Well No. 1906-12)

Applicant: Ko Olina Intangibles, LLC

1100 Alakea St., Ste. 2500

Honolulu, HI 96813

Landowner: Ko Olina Development, LLC

1100 Alakea St., Ste. 2500

Honolulu, HI 96813

Date Application Filed as Complete: February 26, 2007

Hydrologic Unit: Aquifer Areas: Ewa-Kunia System, Pearl Harbor Sector, Oahu

Water Source: Ko Olina Saltwater Well (Well No. 1906-12) at Ko Olina Resort, Oahu, Tax Map

Key 9-1-57:24

Quantity Requested: 6.525 million gallons per day of salt water.

New Use: Air Conditioning Heat Exchange, Marine Commercial Attraction, Bottled Water

Place of Water Use: Ko Olina Resort at Tax Map Keys: 9-1-57:10, 20, 22, 23, 33

Written objections or comments on the above application may be filed by any person who has property interest in any land within the hydrologic unit of the source of water supply, any person who will be directly and immediately affected by the proposed water use, or any other interested person. Written objections shall: (1) state property or other interest in the matter (provide TMK information); (2) set forth questions of procedure, fact, law, or policy, to which objections are taken; and (3) state all grounds for objections to the proposed permit. Written objections must be received by April 25, 2007. Objections must be sent to 1) the Commission on Water Resource Management, P.O. Box 621, Honolulu, Hawaii 96809 and 2) the applicant at the above address.

COMMISSION ON WATER RESOURCE MANAGEMENT

W. ROY HARDY, Hydrologic Program Manager for

PETER T. YOUNG, Chairperson

Dated: March 23, 2007

Publish in: Honolulu Star Bulletin issues of April 4, 2007 and April 11, 2007